

Message

From: Don Edgington [d.edgington@erllc.com]
Sent: 10/15/2018 8:16:35 PM
To: Moore, Gary [Moore.Gary@epa.gov]; Delgado, Paige [Delgado.Paige@epa.gov]; Sean Gavlas [Sean.Gavlas@WestonSolutions.com]
CC: Evan Wortman [e.wortman@erllc.com]; Angela Harbin [a.harbin@erllc.com]
Subject: Disposal RFQ(s) - F.J. Doyle Salvage Site

Hi, guys.

I've prepared two (2) T&D RFQs for distribution tomorrow. The first one is for TSCA contaminated soils (>50 ppm PCBs) and the second one is entitled low level PCB contaminated soils and debris (<50 ppm PCBs).

I increased the anticipated volume approximately 20% to account for additional grid excavations and to provide an allowance for potential grid "over-excavations".

TSCA Volumes – 3,000 tons (2,505 tons *in-situ*);

Low Level PCB Volumes – 5,000 tons (4,068 tons *in-situ*);

C&D Debris – 150 tons (includes structure and assumed mass of concrete slab≈150#/ft³).

The C&D Debris volume should be much less than the RFQ requests pricing on. Procurement/accounting is conducting the requisite QA reviews and including all of the vendor submittals as well (reps & certs, W9, insurance requirements, etc.).

The RFQs will be dated 10/16/18 and bids will be due on 10/22/18 by 12:00 EST.

If you have any questions or comments, please advise when convenient.

Regards,

Don

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.